## NFSHSA Sports Medicine Advisory Committee

## MEDICAL RELEASE FOR WRESTLER TO PARTICIPATE WITH SKIN LESION

## This form expires fourteen (14) days after the earliest date the student may return to participate.

Name	Date of Exam / /
Diagnosis	Mark Location AND Number of Lesion(s)
Location AND Number of Lesion(s)	
Medication(s) Used to Treat Lesion(s)	
Date Treatment Started / /	
Form Expiration Date//	Front Back
Earliest Date May Return to Participate//	TION DAVA
Provider Signature	Office Telephone
Provider Name (Must be legible)	

**Note to Appropriate Health-Care Professionals**: Non-contagious lesions do not require treatment prior to return to participation (e.g. eczema, psoriasis, etc.) Please familiarize yourself with NFHS Rules 4-2-3, 4-2-4 and 4-2-5 which states:

"ART.3 ... If a participant is suspected by the referee or coach of having a communicable skin disease or any other condition that makes participation appear inadvisable, the coach shall provide current written documentation as defined by the NFHS or the state associations, from an appropriate health-care professional stating that the suspected disease or condition is not communicable and that the athlete's participation would not be harmful to any opponent. This document shall be furnished at the weigh-in for the dual meet or tournament. The only exception would be if a designated, on-site meet appropriate health-care professional is present and is able to examine the wrestler either immediately prior to or immediately after the weigh-in. Covering a communicable condition shall not be considered acceptable and does not make the wrestler eligible to participate."

"ÁRT.4 ... If a designated on-site meet appropriate health-care professional is present, he/she may overrule the diagnosis of the appropriate health-care professional signing the medical release form for a wrestler to participate or not participate with a particular skin condition."

"ART.5 ... A contestant may have documentation from an appropriate health-care professional only indicating a specific condition such as a birthmark or other non-communicable skin condition such as psoriasis and eczema, and that documentation is valid for the duration of the season. It is valid with the understanding that a chronic condition could become secondarily infected and may require re-evaluation."

Once a lesion is not considered contagious, it may be covered to allow participation.

Below are some treatment guidelines that suggest MINIMUM TREATMENT before return to wrestling:

**Bacterial Diseases (impetigo, boils):** To be considered "non-contagious," all lesions must be scabbed over with no oozing or discharge and no new lesions should have occurred in the preceding 48 hours. Oral antibiotic for three days is considered a minimum to achieve that status. If new lesions continue to develop or drain after 72 hours, MRSA (Methicillin Resistant Staphylococcus Aureus) should be considered and minimum oral antibiotics should be extended to 10 days before returning the athlete to competition or until all lesions are scabbed over, whichever occurs last.

Herpetic Lesions (Simplex, fever blisters/cold sores, Zoster, Gladiatorum): To be considered "non-contagious," all lesions must be scabbed over with no oozing or discharge and no new lesions should have occurred in the preceding 48 hours. For primary (first episode of Herpes Gladiatorum), wrestlers should be treated and not allowed to compete for a minimum of 10 days. If general body signs and symptoms like fever and swollen lymph nodes are present, that minimum period of treatment should be extended to 14 days. Recurrent outbreaks require a minimum of 120 hours or five full days of oral anti-viral treatment, again so long as no new lesions have developed and all lesions are scabbed over.

**Tinea Lesions (ringworm scalp, skin)**: Oral or topical treatment for 72 hours on skin and 14 days on scalp.

Scabies, Head Lice: 24 hours after appropriate topical management.

Conjunctivitis (Pink Eye): 24 hours of topical or oral medication and no discharge.

Molluscum Contagiosum: 24 hours after curettage.